

Product Series	Picture	Model No.	Screen Size	CPU	RAM/ROM	Android Version
Movable Smart Screen		BC-ZH0215	21.5"	mtk8183	4+64GB	12
		BC-ZH0320	32"	mtk8788	4+64GB	12

PRODUCT INFORMATION SHEET

Model No	BC-ZH0320
Brand	HK
Product type	Android Tablet
Product Description	32" Digital Signage
Date	3/1/2023



System	CPU	MTK8788 八核4*ARM A73@2.0GHz 4*ARM A53@2.0GHz
	RAM	4GB Optional 6GB
	Internal memory	64GB Optional 128GB
	Operation system	Android 12
	Panel Size	32"LCD

Display	Panel Type	IPS	
	Resolution	1920*1080	
	Display Colors	16.7M Colors	
	Color Gamut	sRGB 99%	
	Display mode	Normally black	
	Viewing angle	85/85/85/85(L/R/U/D)	
	Contrast ratio	1000:1	
	Luminance	300cdm2	
	Aspect Ratio	,16:9	
	Response Time	14ms	
	Back-light Type	Eled	
Touch	Model Type	G+G Capacitive touch	
	Number of points	10-Point	
Network	WiFi	802.11b/g/n/a/ac/ax (WiFi 6)	
	Ethernet	100M/1000M	
	Bluetooth	Bluetooth 5.0	
Interface	Power Jack	DC power input	
	MIC-IN	External microphone input	
	Earphone Output	3.5mm earphone output	
	USB	USB 2.0 Host	
	TYPE-C	TYPE-C	
Media plays	HDMI IN	Support 1920*1080@30hz	
	Video format	MPEG-1,MPEG-2,MPEG-4,H.265,H.264,H.263,VC-1,VP8,VP9,MVC,AV1, etc.,max support up to8K@60fps	
	Audio format	MP3/WMA/AAC/WAV/OGG, etc	
	Photo	jpeg/png/gif,etc	
Other	Product Colors	white	
	VESA	100mm*100mm	
	Button	Power	
	Speaker	4Ω/5W*2	
	Microphone	Standard dual Microphone , Support noise reduction and echo cancellation	
	G-sensor	Support 90 degrees	
	Camera	500PM	
	Language	Multi-language	
Construction	Function	Tilting angle (Forward tilt-Lean back)	-20° ~ 15°
		Rotating (Clockwise)	90°
		Turning (Left and Right)	-15° ~ 15°
		Lifting (up-down)	150mm


Battery pack	battery Typ	Li-ion of 21700
	battery pack capacity	12V/15000mAh
	Full battery life	6-7H
Working Surrounding	Storage Temperature	-20℃---60℃
	Working Temperature	0℃---45℃ 10~90%RH
Accessories	Adapter	12V/6A
	AC Cable	L=1.2m
	Screws	PWM 3x10*1 , PWM 4x10*1 ,
	User manual	*1
	Cover	*1
	Screwdriver	*1

Product Measurement, mm

Unit (Without packaging)			Giftbox (With Packaging)			Carton pcs/CTN		
L	W	H	L	W	H	L	W	H
Net(kg)						Net		
						G.W		

PRODUCT INFORMATION SHEET

Model No	BC-ZH0215	
Brand	HK	
Product type	Android Tablet	
Product Description	21.5" Digital Signage	
Date	3/1/2023	



System	CPU	MTK8788 八核4*ARM A73@2.0GHz 4*ARM A53@2.0GHz
	RAM	4GB Optional 6GB
	Internal memory	64GB Optional 128GB
	Operation system	Android 12
	Panel Size	21.5"LCD
	Panel Type	IPS
	Resolution	1920*1080

Display	Display Colors	16.7M Colors	
	Color Gamut	sRGB 99%	
	Display mode	Normally black	
	Viewing angle	85/85/85/85(L/R/U/D)	
	Contrast ratio	1000:1	
	Luminance	300cdm2	
	Aspect Ratio	,16:9	
	Response Time	14ms	
	Back-light Type	Eled	
Touch	Model Type	G+G Capacitive touch	
	Number of points	10-Point	
Network	WiFi	802.11b/g/n/a/ac/ax (WiFi 6)	
	Ethernet	100M/1000M	
	Bluetooth	Bluetooth 5.0	
Interface	Power Jack	DC power input	
	MIC-IN	External microphone input	
	Earphone Output	3.5mm earphone output	
	USB	USB 2.0 Host	
	TYPE-C	TYPE-C	
	HDMI IN	Support 1920*1080@30hz	
Media plays	Video format	MPEG-1,MPEG-2,MPEG-4,H.265,H.264,H.263,VC-1,VP8,VP9,MVC,AV1, etc.,max support up to8K@60fps	
	Audio format	MP3/WMA/AAC/WAV/OGG, etc	
	Photo	jpeg/png/gif,etc	
Other	Product Colors	white	
	VESA	100mm*100mm	
	Button	Power	
	Speaker	4Ω/5W*2	
	Microphone	Standard dual Microphone , Support noise reduction and echo cancellation	
	G-sensor	Support 90 degrees	
	Camera	500PM	
	Language	Multi-language	
Construction	Function	Tilting angle (Forward tilt-Lean back)	-20° ~ 15°
		Rotating (Clockwise)	90°
		Turning (Left and Right)	-15° ~ 15°
		Lifting (up-down)	150mm
	battery Typ	Li-ion of 21700	


Battery pack	battery pack capacity	12V/8000mAh
	Full battery life	6-7H
Working Surrounding	Storage Temperature	-20℃---60℃
	Working Temperature	0℃---45℃ 10~90%RH
Accessories	Adapter	12V/6A
	AC Cable	L=1.2m
	Screws	PWM 3x10*1 , PWM 4x10*1 ,
	User manual	*1
	Cover	*1
	Screwdriver	*1

Product Measurement, mm

Unit (Without packaging)			Giftbox (With Packaging)			Carton pcs/CTN		
L	W	H	L	W	H	L	W	H
Net(kg)						Net		
						G.W		

PRODUCT INFORMATION SHEET

Model No	BC-ZH0238		
Brand	HK		
Product type	Android Tablet		
Product Description	23.8" Digital Signage		
Date	3/1/2023		



System	CPU	MTK8788 八核4*ARM A73@2.0GHz 4*ARM A53@2.0GHz	
	RAM	4GB	Optional 6GB
	Internal memory	64GB	Optional 128GB
	Operation system	Android 12	

Display	Panel Size	23.8"LCD
	Panel Type	IPS
	Resolution	1920*1080
	Display Colors	16.7M Colors
	Color Gamut	sRGB 99%
	Display mode	Normally black
	Viewing angle	85/85/85/85(L/R/U/D)
	Contrast ratio	1000:1
	Luminance	300cdm2
	Aspect Ratio	,16:9
	Response Time	14ms
	Back-light Type	Eled
Touch	Model Type	G+G Capacitive touch
	Number of points	10-Point
Network	WiFi	802.11b/g/n/a/ac/ax (WiFi 6)
	Ethernet	100M/1000M
	Bluetooth	Bluetooth 5.0
Interface	Power Jack	DC power input
	MIC-IN	External microphone input
	Earphone Output	3.5mm earphone output
	USB	USB 2.0 Host
	TYPE-C	TYPE-C
	HDMI IN	Support 1920*1080@30hz
Media plays	Video format	MPEG-1,MPEG-2,MPEG-4,H.265,H.264,H.263,VC-1,VP8,VP9,MVC,AV1, etc.,max support up to8K@60fps
	Audio format	MP3/WMA/AAC/WAV/OGG, etc
	Photo	jpeg/png/gif,etc
Other	Product Colors	white
	VESA	100mm*100mm
	Button	Power
	Speaker	4Ω/5W*2
	Microphone	Standard dual Microphone , Support noise reduction and echo cancellation
	G-sensor	Support 90 degrees

Construction	Camera	500PM	
	Language	Multi-language	
	Function	Tilting angle (Forward tilt-Lean back)	-20° ~ 15°
		Rotating (Clockwise)	90°
		Turning (Left and Right)	-15° ~ 15°
Lifting (up-down)		150mm	
Battery pack	battery Typ	Li-ion of 21700	
	battery pack capacity	12V/12000mAh	
	Full battery life	6-7H	
Working Surrounding	Storage Temperature	-20℃---60℃	
	Working Temperature	0℃---45℃ 10~90%RH	
Accessories	Adapter	12V/6A	
	AC Cable	L=1.2m	
	Screws	PWM 3x10*1 , PWM 4x10*1 ,	
	User manual	*1	
	Cover	*1	
	Screwdriver	*1	

Product Measurement, mm

Unit (Without packaging)		Giftbox (With Packaging)			Carton pcs/CTN		
L	H	L	W	H	L	W	H
Net(kg)					Net		
					G.W		